

Request From: _____
Company Name: _____
Phone Number: _____
Email: _____


Project Name: _____
Ship to Address: _____

Ship to: Project Shop

Drip/Gutter Edge

Parapet

Roof Hatch



- A** Height from base to walking/working surface
- B** Wall construction type (for example: masonry, metal siding)
- C** Lower roof/floor construction type (for example: membrane, built up, metal roof)
- D** Upper roof construction type (for example: membrane, built up, metal roof)
- E** Distance from wall, gutter, etc. (OSHA minimum 7")
- F** Width of parapet
- G** Height of parapet

OSHA Requirements: Ladders over 24' must have Personal Fall Arrest System (PFAS)
Landing Platform is required on ladders without cages over 150', if the ladder has a cage 50'+
Safety Cage is not required on any fixed ladders

Ladder Attachment Type – Select One

- Drip/Gutter Edge
 - Parapet Roof Hatch (interior)
- Measurements based on drawings on the left
A _____ inches
B Masonry Metal Other _____
C Ground Paved Membrane Built-Up Metal
 Other _____
D Membrane Built-Up Metal Other _____
E _____ inches
F _____ inches
G _____ inches

OPTIONS:

- Cage For Ladder
- Vertical Security Door
- Parapet Railing
- Ladder Protector
- Fall Arrest System (PFAS)
- Off-Floor Mount
- Non-Penetrating Base
- Floor Mount
- Harness and Lanyard

NOTES: _____

- Please use a separate sheet for each ladder on project.
- The fasteners to attach the ladder brackets to the wall are not included. The contractor will need to determine and provide adequate fasteners for proper structural support and installation
- The ladder will ship in modules that will require assembly on site